

Technical Data Sheet

Rhesus PD-L1 (C-His)

Catalog Number: 812401, 812402

Size: 25 ug, 100 ug

Target Name: PD-L1, CD274, B7-H1, PDCD1L1, PDCD1LG1

Regulatory Status: RUO

Product Details

Application: ELISA, BLI

Format: Liquid, Purified

Expression Host: CHO

Species: Rhesus monkey

Sources: Recombinant Rhesus PD-L1 (Phe19-Arg238) with C-terminus His-tag is expressed in CHO cell.

Accession Number: F6VEW6

Molecular Weight: The protein has a predicted molecular weight of 26.8 kDa. Under DTT-reducing conditions, it migrates at approximately 30 kDa on SDS-PAGE.

Affinity Tag: C-His

Purity: >95% based on SDS-PAGE under reducing condition

Formulation: 1xPBS buffer, pH7.4, 0.22 µm filtered

Endotoxin level: Not tested


Protein Concentration: 25µg size is bottled at 0.2mg/mL concentration. 100 µg size is supplied at a lot-specific concentration.

Storage and Handling: Briefly centrifuge the vial upon receipt. An unopened vial can be stored at 4°C for up to 2 weeks, or at -20°C or below for up to six months. The protein may be further diluted to 0.1 mg/mL using 0.22 µm-filtered PBS buffer (pH 7.4). For long-term storage, the diluted stock solution should be aliquoted and stored at ≤ -70°C to minimize freeze-thaw cycles. If additional dilution is required, carrier proteins such as FBS or BSA should be added to maintain protein stability.

Background Information

Programmed death-1 ligand-1 (PD-L1, CD274, B7-H1) is an immune regulatory protein that interacts with the PD-1 receptor, playing a critical role in controlling immune responses and maintaining peripheral tolerance. Part of the B7 family, PD-L1 contains one V-like and one C-like Ig domain in its extracellular region. By binding to PD-1 on activated T-cells and B-cells, PD-L1 inhibits T-cell activation, promoting apoptosis and cell-cycle arrest, which can suppress ongoing immune responses. This mechanism is implicated in immune evasion by tumors, as PD-L1 helps tumors escape detection by inducing apoptosis in antigen-specific T-cells, contributing to tumor growth. Due to its pivotal role in immune regulation, PD-L1 has emerged as a promising therapeutic target for treating autoimmune diseases and malignancies.

Product Data



Rhesus PD-L1 (C-His) Protein on SDS-PAGE under non-reducing and reducing conditions. The gel was stained for 1 hour with BlinkBlue Protein Staining Buffer (Catalog 700102). The purity of this protein appears to be greater than 95%.