

## Technical Data Sheet

### Biotin Anti-Human CD3

**Catalog Number:** 109011, 109012

**Size:** 25 ug, 100 ug

**Target Name:** CD3, T3, CD3?

**Regulatory Status:** RUO

#### Product Details

---

**Clone:** UCHT1

**Application:** FC

**Reactivity:** Human

**Format:** Biotin

**Isotype:** Mouse IgG1

**Antibody Type:** Monoclonal

**Formulation:** Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) BSA

**Protein Concentration:** 0.2 mg/mL

**Storage and Handling:** The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze.

**Recommended Usage:** For flow cytometric staining, it is recommended to use less than 0.25 ug of this reagent per 0.5-1.0 million cells in a 100 µL volume. Optimal reagent performance should be determined by titration for each specific application


#### Background Information

---

CD3 (cluster of differentiation 3) is a protein complex and T cell co-receptor that is involved in activating both the cytotoxic T cell (CD8+ naive T cells) and T helper cells (CD4+ naive T cells). It is composed of four distinct chains. In mammals, the complex contains a CD3? chain, a CD3? chain, and two CD3? chains. CD3? chains are highly related cell-surface proteins of the immunoglobulin superfamily that plays a role in antigen recognition, signal transduction, and T cell activation.

#### Product Data

---



Human peripheral blood lymphocytes stained with Biotin anti-human CD3 clone UCHT1 followed by Sav-PE