www.innocyto.com

InnoCyto Inc.

15375 Barranca Pkwy, Suite I-103
Irvine, CA 92618
Email: info@innocyto.com
Phone: 1-949-418-7543

Biotin Anti-HA tag Antbody

Catalog Number:	302111, 302112
Size:	25 μg, 100 μg
Target Name:	HA epitope tag, YPYDVPDYA tag, Hemagglutinin tag
Regulatory Status:	RUO


PRODUCT DETAILS

Clone:	12CA5
Application:	Flow Cytometry
Reactivity:	HA tag, All Species Expected
Format:	Biotin
Isotype:	Mouse IgG2b
Antibody Type:	Monoclonal
Formulation:	Phosphate-buffered solution, pH 7.4, with stabilizer
Protein Concentration:	0.5 mg/mL
Storage&Handling:	The antibody solution should be stored undiluted between 2°C and 8°C.
Recommended Usage:	For flow cytometric staining, it is recommended to use less than 0.1 µg of this reagent per 0.5-1.0 million cells in a 100 µL volume. Optimal reagent performance should be determined by titration for each specific application.
Isotype Control:	301619
Price ($):	170

BACKGROUND INFORMATION

The HA tag (hemagglutinin tag) is a short linear epitope (YPYDVPDYA) derived from amino acids 98–106 of influenza A hemagglutinin. With a molecular weight of approximately 1.1 kDa, it is commonly fused to the N- or C-terminus of recombinant proteins to facilitate detection, localization, and purification when protein-specific antibodies are unavailable. Anti-HA tag antibodies specifically recognize the HA epitope and are widely used in applications such as western blotting, immunoprecipitation, immunofluorescence, immunohistochemistry, and intracellular flow cytometry to study protein expression, topology, and protein–protein interactions.

PRODUCT DATA



Multi-tag (including HA tag) transmembrane protein transfected CHO cells were stained with either Biotinylated Anti-HA tag clone 12C5 (color-filled histogram) or an isotype control (gray histogram), followed by SA-APC.

This product is supplied subject to the terms and conditions at www.innocyto.com/web/terms.php and may only be used as provided in the stated terms. Products are for Research Use Only.